

**Amendments to the Claims**

This listing of claims, if entered, will replace all prior versions and listings of claims in the above-identified application.

**Listing of Claims**

1.     **(Currently Amended)** A method comprising:  
writing first and second data to first and second data volumes, respectively,  
wherein  
the first data volume is a first primary volume,  
**the first data volume is stored on one or more disk drives,**  
the second data volume is a second primary volume,  
**the second data volume is stored on one or more disk drives, and**  
the first and second data volumes are unrelated data volumes,~~and~~  
~~the first and second data volumes are contemporaneous when the first~~  
~~and second data is written to the first and second data~~  
~~volumes;~~  
refreshing the second data volume to the data contents of the first data volume  
that existed at time T, wherein refreshing the second data volume  
comprises overwriting data of the second data volume with data of the first  
data volume that existed at time T;  
modifying data of the first data volume while the second data volume is being  
refreshed to the data contents of the first data volume that existed at time  
T; and  
modifying data of the first data volume after the second data volume has been  
refreshed.
2.     **(Cancelled)**
3.     **(Cancelled)**

4. (Original) The method of claim 1 further comprising creating one or more PIT copies of the first data volume prior to refreshing the second data volume to the data contents of the first data volume.

5. (Previously Presented) The method of claim 4 wherein one of the PIT copies of the first data volume is in a virtual state when the second data volume is refreshed to the data contents of the first data volume.

6. (Previously Presented) The method of claim 1 further comprising an act of preserving the second data volume, wherein said preserving comprises creating one or more PIT copies of the second data volume prior to refreshing the second data volume to the data contents of the first data volume.

7. (Previously Presented) The method of claim 6 wherein one of the PIT copies of the second data volume is in the virtual state when the second data volume is refreshed to the data contents of the first data volume.

8. (Previously Presented) The method of claim 1 wherein the first data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

9. (Previously Presented) The method of claim 1 wherein the second data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

10. (Original) The method of claim 1 wherein refreshing the second data volume further comprises generating first and second maps in memory, wherein each of the first and second maps comprises a plurality of entries, wherein each entry of the first map corresponds to a respective memory block that stores data of the first data volume, and wherein each entry of the second map corresponds to a respective memory block that stores data of the second data volume.

11. (Previously Presented) The method of claim 10 wherein refreshing the second data volume further comprises:

setting a first bit in each entry of the first map, wherein each first bit of the first map is set to indicate its respective memory block stores valid data; and  
clearing a first bit in each entry of the second map, wherein each first bit of the second map is set to indicate its respective memory block stores invalid data.

12. (Original) The method of claim 11 further comprising:

setting or clearing a second bit in each entry of the second map to indicate that its respective memory block stores data needed for a PIT copy of the second data volume.

13. (Previously Presented) The method of claim 1 further comprising an act of preserving the second data volume, wherein said preserving comprises creating a PIT copy of the second data volume before or while refreshing the second data volume to the data contents of the first data volume.

14. (Cancelled)

15. (Currently Amended) A computer readable medium storing instructions executable by a computer system, wherein the computer system implements a method in response to executing the instructions, the method comprising:

writing data to a first and a second data volume, wherein

the first data volume is a first primary volume,

**the first data volume is stored on one or more disk drives,**

the second data volume is a second primary volume,

**the second data volume is stored on one or more disk drives, and**

the first and second data volumes are unrelated data volumes, ~~and~~

~~the first and second data volumes are contemporaneous primary data~~  
**volumes;**

refreshing the second data volume to the data contents of the first data volume

that existed at time T, wherein refreshing the second data volume comprises overwriting data of the second data volume with data of the first data volume that existed at time T, and wherein the first data volume is unrelated to the second data volume prior to refreshing the second data volume to the data contents of the first data volume;

modifying data of the first data volume while the second data volume is being refreshed to the data contents of the first data volume that existed at time T; and

modifying data of the first data volume after the second data volume has been refreshed.

16. (Cancelled)

17. (Cancelled)

18. (Previously Presented) The computer readable medium of claim 15 wherein the method further comprises creating one or more PIT copies of the first data volume prior to refreshing the second data volume to the data contents of the first data volume.

19. (Previously Presented) The computer readable medium of claim 18 wherein one of the PIT copies of the first data volume is in the virtual state when the second data volume is refreshed to the data contents of the first data volume.

20. (Previously Presented) The computer readable medium of claim 15 further comprising an act of preserving the second data volume, wherein said preserving further comprises creating one or more PIT copies of the second data volume prior to refreshing the second data volume to the data of the first data volume.

21. (Previously Presented) The computer readable medium of claim 20 wherein one of the PIT copies of the second data volume is in the virtual state when the second data volume is refreshed to the data contents of the first data volume.

22. (Previously Presented) The computer readable medium of claim 15 wherein the first data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

23. (Previously Presented) The computer readable medium of claim 15 wherein the second data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

24. (Original) The computer readable medium of claim 15 wherein refreshing the second data volume further comprises generating first and second maps in memory, wherein each of the first and second maps comprises a plurality of entries, wherein each entry of the first map corresponds to a respective memory block that stores data of the first data volume, and wherein each entry of the second map corresponds to a respective memory block that stores data of the second data volume.

25. (Previously Presented) The computer readable medium of claim 24 wherein refreshing the second data volume further comprises:

clearing a first bit in each entry of the first map, wherein each first bit of the first map is set to indicate its respective memory block stores valid data; and  
setting a first bit in each entry of the second map, wherein each first bit of the second map is set to indicate its respective memory block stores invalid data.

26. (Previously Presented) The computer readable medium of claim 15 further comprising an act of preserving the second data volume, wherein said preserving further comprises creating a PIT copy of the second data volume before or while refreshing the second data volume to the data of the first data volume.

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Previously presented) The method of claim 1 further comprising:  
modifying data of the second data volume while the second data volume is being  
refreshed to the data contents of the first data volume that existed at time  
T;

wherein, in response to the modifying the second data volume, the second data  
volume becomes a modified point-in-time copy of the first data volume  
that existed at time T.

31. (Previously presented) The computer readable medium of claim 15  
wherein the method further comprises:

modifying data of the second data volume while the second data volume is being  
refreshed to the data contents of the first data volume that existed at time  
T;

wherein, in response to the modifying the second data volume, the second data  
volume becomes a modified point-in-time copy of the first data volume  
that existed at time T.

32. (Cancelled)

33. (Currently Amended) A method comprising:

writing data to first and a second data volumes, wherein

the first data volume is a first primary data volume,

**the first data volume is stored on one or more disk drives,**

the second data volume is a second primary volume,

**the second data volume is stored on one or more disk drives,**

~~the first and second data volumes are contemporaneous primary data  
volumes,~~

the first data volume is unrelated to the second data volume in that the  
second data volume is not a point in-time copy or a modified point  
in-time copy of the first data volume, and

the first data volume is unrelated to the second data volume after the writing;  
refreshing the second data volume to the data contents of the first data volume that existed at time T, wherein refreshing the second data volume comprises overwriting data of the second data volume with data of the first data volume that existed at time T;  
modifying data of the first data volume while the second data volume is being refreshed to the data contents of the first data volume that existed at time T; and  
modifying data of the first data volume after the second data volume has been refreshed.